Carondelet Coke: Accelerating Brownfield Transformation Through Pre-Emptive VI Mitigation

Noah Streich – Technical Sales Manager | Land Science Great Lakes District







State-of-the-Art Manufacturing Facility

• Nashville, TN

Corporate HeadquartersSan Clemente, CA



Industry Leading Provider of Vapor Intrusion Barrier Technologies



A global leader in advanced technologies for contaminated site remediation We work with federal, state and local regulatory agencies on developing VI guidance


ろ



We provide technologies that mitigate the evolving issues and risks associated with these sites.



Land Science offers:





Site & history

- St Louis Ore and Steel Company
 - 1870-1896
- Site remained idle
 - 1896-1913
- Laclede Gas Company
 - 1918-1950
- Great Lakes Carbon Corporation
 - 1950-1980
- Carondelet Coke
 - 1980-1987





Carondelet Coke (1980-1987)

- ~40-acre complex of buildings along the Mississippi.
- Manufacturing of gas from coal, then coke production.
- Ongoing investigation, environmental activities spanning >20 years.













River City Business Park





Partnership with Land Science

- Analysis of site data
- Design assistance
- Preliminary cost estimates
 - System layout
 - Materials
 - Installation
 - QA/QC
 - Warranty






Remediation & Redevelopment










REINFORCED METALIZED FILM GEOMEMBRANE

NITRILE-ADVANCED SPRAY APPLIED SEAMS & PENETRATIONS

METALIZED FILM TECHNOLOGY 100X GREATER CHEMICAL RESISTANCE

- Improved the chemical resistance of barrier sheets by 100x
- Developed specific film technology using metallized film: 100x more protective than HDPE
- Encapsulation of film eliminates risk of oxidation or corrosion





Nitrile-modified Asphalt

- Nitrile-Advanced Asphalt Latex Spray
 - First ever Nitrile-Asphalt Spray Membrane
 - Significantly more protective
 - Up to 10x more resistant to contaminant diffusion vs. SBR-asphalt sprays
 - Cleanup with soap and water
 - (no diesel fuel flushing or VOCs)



Impacts of enhanced higher chemically resistant barrier & spray-applied component

- Base Layers of Spray-Applied membranes are the first line of defense in eliminating the VI pathway through the building
 - Only line of defense if using a single layer system
- The most critical pathways and entry points of a membrane system:
 - Utility conduits
 - Plumbing penetrations
 - Seams
 - Foundation Perimeters











30-mil reinforced geomembrane

Metalized film encapsulated in layers of polyethylene

Underside geotextile

Ripstop grid

Meets USEPA recommendations





EFFICIENT APPLICATION

20,000 SF up to 50,000 SF production rates

Spray-applied seams

Lowest installed cost

Superior resistivity to VOCs



CERTIFIED INSTALLATION



Certified Applicator Network



Inspector Training and Certification



Smoke Testing



Warranty Options









MONOSHIELD INSTALLED

TERRAVENT INSTALLED



MonoShield Vapor Barrier System


NO THINKS &

Land Science* a division of REGENESIS*

21

SEAM DURABILITY

SEAM DURABILITY



GEOTEXTILE FABRIC & PROTECTION LAYER INSTALLED



Approved for Truck Traffic



River City Business Park Building #2







175



AN 2 4

A ROAD

a relation with











Thank you!

Green Street Development Ventures

- Kevin Morrell, Principal
- Phil Hulse

• ATON, LLC

- Ron Carrol, CHNN, CIH
- Mark Underwood, PhD, PG
- Missouri Department of Natural Resources
 Jennifer Surber, VCP Project Manager



Land Science® a division of REGENESIS®

Mono Shield Reinforced Metalized

Reinforced Metalized Contaminant Vapor Barrier